

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	342	382/285.ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/17 14:34
S1	22	((PETER) near2 (REDERT)). INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/08/26 16:26
S2	9	((CHRISTIAAN) near2 (VAREKAMP)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/08/26 16:26
S3	22	((PETER) near2 (REDERT)). INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/08/26 16:40
S4	9	((CHRISTIAAN) near2 (VAREKAMP)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/08/26 16:40
S5	5	(S3 or S4) and points.dlm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 16:40
S6	1	"20060251337" and motion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 16:50
S8	1616	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) same (object or subject or person or people) same (junction or node or intersection or vertex or vertices)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:04
S9	341	S8 and (track\$4 or motion or movement or dynamic occlusion) and (depth or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:04
S11	182	S9 and (3d or 3-d or ("3" or three) dimensional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:08

S12	3	S9 and (3d or 3-d or ("3" or three) dimensional) and "t junction"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:09
S13	20	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) same (object or subject or person or people) same (junction or node or intersection or vertex or vertices) same (false\$4 or incorrect or misidentified)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:15
S14	4	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) same (object or subject or person or people) same (junction or node or intersection or vertex or vertices) same (false\$4 or incorrect or misidentified) same (separately or individually)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:16
S16	8	S13 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:17
S17	1	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) same (junction or node or intersection or vertex or vertices) same (overlap\$4) same (false\$4 or incorrect or misidentified) same (separately or individually)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:21
S18	15	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) same (junction or node or intersection or vertex or vertices) same (overlap\$4) same (separately or individually)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:21

S19	2	S18 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:21
S20	50	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) same (junction or node or intersection or vertex or vertices) same (overlap\$4) same object	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:23
S21	11	S20 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:23
S22	7	S21 and (3d or 3-d or ("3" or three) dimensional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:24
S23	5	(S3 or S4) and @ad<"20020907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:28
S24	93	(corners or vertices or vertex) same (junction or overlap\$4 or occlusion) same (cluster\$4 or group \$4) same (points or coordinates) and @ad<"20020907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:32
S25	37	S24 and (3d or 3-d or ("3" or three) dimensional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:33
S26	118	(corners or vertices or vertex) same (junction or overlap\$4 or occlusion) same (cluster\$4 or group \$4) same (points or coordinates or pixels) and @ad<"20020907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:35

S27	10	S26 and (3d or 3-d or ("3" or three) dimensional) and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:35
S28	7	(corners or vertices or vertex) and (junction or overlap\$4 or occlusion or occluded) and (cluster\$4 or group\$4) near2 (points or coordinates or pixels) and @ad<"20020907" and 382/285.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:41
S29	1	(corners or vertices or vertex) and (shared) near2 (points or coordinates or pixels or boundary or edge) with (cubes or boxes) and @ad<"20020907" and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:54
S30	5567	"382".clas. and associat\$5 with detect\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:13
S31	727	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:14
S32	448	S31 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:14
S33	89	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) with object and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:16
S34	5	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) with junction and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:16

S35	1	S34 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:16
S36	2	"20060251337" and junction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:18
S37	20	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) with corner and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:19
S38	16	S37 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:19
S40	20	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) with intersection and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:25
S41	12	S40 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:25
S42	3	S41 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:26
S43	641	depth map and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:37
S44	65	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:38

S45	2	"6714672".pn. and match\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 12:45
S46	1854	"382".clas. and overlap\$5 with blocks	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 12:55
S47	207	"382".clas. and overlap\$5 with blocks and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 12:55
S48	139	S47 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 12:56
S49	5573	"382".clas. and associat\$5 with detect\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 12:56
S50	18	S48 and S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 12:56
S51	22	"382".clas. and overlap\$5 with cubes	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 13:06
S52	13	S51 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 13:07
S53	22	S48 and depth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 13:08

S54	275	"382".clas. and overlap\$5 with objects and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 13:10
S55	166	S54 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 13:11
S56	53	S55 and depth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 13:11
S58	3	"382".clas. and shared (edges or boundary or boundaries) with objects and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:24
S59	3	S58 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:24
S60	6	"5740409".pn. or "5793371".pn. or "5867167".pn. or "5870094".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:27
S61	2	"382".clas. and coincident (edges or boundary or boundaries) with objects and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:29
S62	3	"382".clas. and shared (edges or boundary or boundaries or coordinates or points or pixels) with objects and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:30

S63	3	"382".clas. and shared (edge\$2 or boundary or boundaries or coordinates or points or pixels) with objects and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:30
S64	22	"382".clas. and shared (edge\$2 or boundary or boundaries or coordinates or points or pixels) and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:31
S65	17	S64 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:31
S66	16	"382".clas. and common (edge\$2 or boundary or boundaries or coordinates or points or pixels or border\$2) with objects and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:32
S67	13	S66 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:32
S68	225	"382".clas. and (edge\$2 or boundary or boundaries or coordinates or points or pixels) adj2 common and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:43
S69	22	"382".clas. and (edge\$2 or boundary or boundaries or coordinates or points or pixels) adj2 common with objects and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:43
S70	17	S69 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:43



S71	3	"382".clas. and shared (edges or boundary or boundaries or coordinates or points or pixels) with objects and (group\$4 or cluster\$4) with (points or coordinates or pixels)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:56
S72	21	grouping with junction with points	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:57
S73	12	shared (edges or boundary or boundaries or coordinates or points or pixels) with objects and (group\$4 or cluster\$4) with (points or coordinates or pixels)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:57
S74	10	S73 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:57
S75	10	S72 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 16:09
S76	107	"382"/\$.cls. and ((object) with (picture or image) with ((overlap\$4 or junction or connect\$3) or ((shar\$3 or common) near5 (border or boundary or edge or line))) with (cluster or group or class or sub\$1class)) and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 18:16
S77	27	S76 and motion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 18:21
S79	574385	(multiple or plurality or many or several) with points	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 13:36

S86	29279	(falsely or incorrectly or error) near2 (points or pixels or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 14:16
S87	658	(falsely or incorrectly or error) near2 (points or pixels or coordinates) and depth and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 14:16
S88	28	(falsely or incorrectly) near2 (points or pixels or coordinates) and depth and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 14:16
S89	16	S88 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 14:17
S90	171	(false\$2 or incorrect\$2 or error or erroneous\$2 or misclassified or incorrect or misidentified or mis-classified or mis-identified) near2 (points or pixels or coordinates) and depth and (intersection or junction) (points or pixels or coordinates) and "382". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 14:34
S91	123	S90 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 14:35
S92	4	(false\$2 or incorrect\$2 or error or erroneous\$2 or misclassified or incorrect or misidentified or mis-classified or mis-identified) near2 (points or pixels or coordinates) same (intersection or junction) (points or pixels or coordinates) and "382". clas. and depth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 14:38

S93	2	S92 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 14:38
S94	81	one group with image with points and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 15:42
S95	14	S94 and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 15:42
S96	9	one group with image points and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 15:44
S97	2	S96 and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 15:44
S98	0	only one group with image points and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 15:45
S99	0	only one group same image points and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 15:46
S100	0	only one (category or cluster or class or subclass) same image points and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 15:46
S101	2	only one (category or cluster or class or subclass) same image with points and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 15:46

S102	9	only one (category or cluster or class or subclass) same image with (points or pixels or coordinates) and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 15:47
S103	55	exclusive with (category or cluster or class or subclass or group) same image with (points or pixels or coordinates) and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 16:05
S104	29	S103 and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 16:05
S116	11	curvature detection and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 17:06
S117	8	S116 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 17:06

10/17/2008 2:38:59 PM

C:\Documents and Settings\mentezari\My Documents\EAST\Workspaces\10\_567\_219.wsp